



City of Hayward SGMA Stakeholder Meeting


Groundwater Overview

December 12, 2016




Regional Groundwater System

- ▶ Santa Clara Basin (DWR Basin 2-9)
 - Santa Clara Subbasin
 - Niles Cone Subbasin
 - East Bay Plain Subbasin
 - Westside Subbasin
 - San Mateo Subbasin



Relevance of SGMA to Hayward



- ▶ Medium-priority groundwater basins
 - ▶ East Bay Plain Basin (EBPB)
 - ▶ Niles Cone Basin
- ▶ Emergency wells
- ▶ Groundwater management and authority

History of Groundwater in Hayward




- ▶ Relied entirely on groundwater for over a century
- ▶ Five emergency wells
- ▶ Recent activities
 - EBMUD Groundwater Management Plan for South East Bay Plain Basin
 - Monitoring groundwater conditions
 - SGMA stakeholder meetings



City of Hayward Well C (Pepsi)


GSA Formation



GSA Formation

► Niles Cone Basin

- ACWD designated as exclusive local agency to manage groundwater
- Adopted resolution to be GSA on November 10
- Adopted resolution to submit Alternative on December 8




GSA Formation

► Niles Cone Basin

- ACWD designated as exclusive local agency to manage groundwater
- Adopted resolution to be GSA on November 10
- Adopted resolution to submit Alternative on December 8

► East Bay Plain Basin

- EBMUD is the GSA for portion of EBPB underlying EBMUD service area
- Hayward plans to file to be a GSA for portion of EBPB underlying City




GSP Options for East Bay Plain



- ▶ Submit to DWR by January 31, 2022
- ▶ Options
 1. Multiple GSPs
 2. Joint Hayward-EBMUD GSP
- ▶ Preliminary discussions with EBMUD




Public Contact



- ▶ SGMA requires extensive public reviews and stakeholder involvement
- ▶ Possible stakeholders and interested parties:
 - EBMUD
 - County of Alameda
 - ACWD
 - Groundwater users
 - Neighboring agencies

Schedule



Action	Date
Stakeholder outreach	December 2016
Recommendation to CSC	January 2017
Public hearing and Council consideration	February 2017
Submittal of GSA application to DWR	February 2017
90-day notification period	March - May, 2017
GSA approval by DWR	June 2017